
Coax, connectors and weatherproofing

Basic review of what everyone knows about and and a second second

some recomendations of







Coaxial Connections Split coaxial BOOM COAXIAL



Coaxial Connectors ONLY USE THE CORRECT!!

Single Braid RG-8 size or 0.400

Coaxial Cable Brand, or Silver Plated Crimp or Silver Plated solder, like RF parts or Amphenol

Avoid EBAY CHEAP and SWAP MEET Connector (poor China Quality)









DOUBLE SHIELD COAXIAL CABLES

Braid and Foil or named Low Loss Created to be used with his own line of connectors Crimp or Clamp

Silver Plated versions for 0.400 works also with correct tool













Needed Elements

ATTITUDE

Proper Quality Materials for the task

Correct Technique



Lape

Scotch

PROFESSIONAL GRADE
PARA USO PROFESIONAL

SUPER 88 Vinyl Electrical Tape Cinta aislante de vinilo

221 F (105 C)

-0.4 F (-18 C)

- · Thicker for heavy-duty use
- · Conformable for a smooth wrap
- · Super strong adhesion





QUALITÉ PROFESSIONNELLE | PARA USO PROFESIONAL

Super 33+

Vinyl Electrical Tape Ruban isolant en vinyle Cinta aislante de vinilo

- Super Strong Adhesion
- . Conformable for a Smooth Wrap Indoor / Outdoor Use
- · Adhérence super forte
- enveloppement parfait
- · Adhesión súper fuerte · Se conforma fácilmente para



3/4 IN/PO/PULG. x 66 FT/PI/PIES x 0.007 IN/PO/PULG. (19 mm x 20,1 m x 0,177 mm)

Butyl Mastic Tape

ာာ

0













0,0

3,



WEATHERPROOFING

Materiales









